

HOOSICK FALLS

12/7/15

SE - 2 AREAS - HOW TO DEAL w/SOURCE(s)
- URGENCY OF MESSAGING SHOULD
NOT BE DRINKING WATER
ETC.

PAUL -

EX. 7(A)

[REDACTED]

GENE - SOUNDS "RELEVANT & USEFUL IN THIS SITUATION"
- WANT TO WAIT FOR LOCAL AGREEMENT.
- DEC WILL LOOK INTO REGULATORY AUTHO
- NUISANCE REG.
- RULEMAKING AUTHORITY w/DOH REVIEW &
SUBMISSION
TO DEC

NYDOH - MAYOR FEELS NEG. GOING WELL w/COMPANY
PRIVATE WELLS NOT INCLUDED

VILLAGE + TOWN ARE HAPPY w/ PROGRESS

ST. GOBAIN IS ALSO LOOKING INTO INTERI
TREATMENT IN ADDITION TO "GAC"
SYSTEM.

IE: REQUESTED THAT THEY COULD VOLUNTEER QUEST.
FOR IRL

NYSDOH - SAMPL. ADD'L WELLS - ST. GOBAIN MADE
CLEAR - THEY DON'T KNOW THE SOURCE -
18000 IS NEAR WATER MAIN JUNCTION

COUNTY HEALTH DEPT WILL OVERSEE THE TREATMENT
INSTALLATION -

NYSDOH - AGREES THAT BY FALL 2016 IS FAIR

Recent 10 wells - END OF DEC EARLY JAN.

JE - HOOSICK RIVER SAMPLING
+ FISH SAMPLING.

GENE - WILL GO BACK AND DISCUSS w/ ACTING COMMISSION
AND GET BACK TO US.

CALL NATHAN RX